

The Kia EV9

Electric flagship SUV to advance Kia's sustainability vision

Full-Flat Floor

Maximized spaciousness through flat floor based on E-GMP

Efficient Aerodynamic Performance

Aerodynamic drag coefficient of 0.28



Differentiated Space Experience

2nd-row relaxation-type seat options for enhanced space and comfort

Irvan | 0821-1132-0077 Kiadepok.com

Futuristic Bold Design

Robust exterior and spacious interior reflecting 'Opposites United' design philosophy





Vehicle to Load

Providing access to electricity anywhere and anytime through the vehicle Users can take advantage of the existing electric power in the Kia EV9 to turn on household electronic equipment or to charge other electric car batteries.



Dual Panoramic Sun-roof

Adding a luxurious and spacious impression to the cabin with the presence of the Dual Panoramic Sunroof. Users can enjoy natural views and cool air through the Dual Panoramic Sunroof.



Relaxation Seats & Dynamic Body Care

Providing maximum comfort for passengers sitting in the second row Provides clear audio quality so that it can add comfort when through the Relaxation Seats and Dynamic Body Care features. Traveling long distances will feel very comfortable.



Meridian Premium Sound System with 14-speakers

dealing with traffic jams. Users can listen to their favorite songs from the Meridian Premium Sound System with 14-speakers.

Specifications

Powertrain	
Motor Type	Permanent Magnet Synchronous Motor (PMSM)
Configuration	All Wheel Drive (Front & Rear Motor)
Maximum Power	385 Ps
Maximum Torque	700 Nm
Battery Type	Liquid Cooled Lithium-ion
Battery Capacity	99,8 kWh
Battery Range	497 Km
Vehicle to Load (V2L)	3,6 Kw (7-Pin)
Safety and Security	
Airbags	10 Airbags (Driver, Passenger, Front Center, Sider & Curtain Airbag)
Parking Assist	Remote Smart Parking Assist (RSPA)
ADAS Features	SCC, LFA, LKA, BCA, BVM, MSLA, SEW, SEA, HBA, DAW, RCCA, FCA (for Car, Pedestrian, Cyclist & Junction), Autonomous level 2
Dimensions	
Length / Width / Height	5.015 / 1.980 / 1.780 mm
Wheelbase	3.100 mm
Front / Rear Overhang	875 / 1.040 mm
Wheel, Tire	Alloy Wheel 285/45 R21



Electric Global Modular Platform



Contact:





"EYes Marety / 10,000 km

Irvan | 0821-1132-0077 Kiadepok.com

